The Journal of Clinical Investigation

July to December 1997
Volume 100

Produced by
The Rockefeller University Press
for The American Society
for Clinical Investigation, Inc.

The Journal of Clinical Investigation

Published by The Rockefeller University Press, New York *for* the American Society for Clinical Investigation, Inc.

Stephen J. Weiss, *Editor*

David Ginsburg, *Deputy Editor*

John B. Lowe, *Deputy Editor*

Associate Editors

Laurence A. Boxer
Josephine P. Briggs
Eric R. Fearon
David A. Fox
Benedict R. Lucchesi
Ronald J. Koenig
Steven L. Kunkel
Benjamin L. Margolis
Elizabeth G. Nabel
Gary J. Nabel
Alan R. Saltiel
John A. Williams

Fintan R. Steele, *Executive Editor/Science Editor*

Consulting Editors

Peter Agre*
R. Wayne Alexander
Robert J. Alpern
David H. Alpers
Peter S. Aronson*
Bernard M. Babior
Alain D. Baron*
Elizabeth Barrett-Connor
Kurt Benirschke
Michael P. Bevilacqua
Martin J. Blaser*
Jan L. Breslow
Eric J. Brown
C. Thomas Caskey*
Webster Cavanee
Alan Cherrington
Francis V. Chisari
Charles G. Cochrane
Desire Collen
Barry S. Coller
James D. Crapo
Philip E. Cryer
Linda K. Curtiss
Jared M. Diamond
Jeffrey M. Drazen
Boris Draznin
Richard Dutton
Walter Eckhart
Robert A. Eisenberg
Glen A. Evans
Darrell D. Fanestil
Marilyn G. Farquhar
Jack L. Feldman
James R. Feramisco
Joshua Fierer
Alan M. Fogelman
Uta Francke*
Fred H. Gage
Detlev Ganten
Barbara Gilchrest*
Gordon N. Gill
Henry N. Ginsberg
Laurie H. Glimcher*
Mehran Goulian
Bevra H. Hahn
Raymond C. Harris*
Stephen M. Hedrick
Brian B. Hoffman
Alan Hofmann
Tasuku Honjo
Jay H. Hoofnagle
Marcus A. Horwitz
Stephen B. Howell
Willa A. Hsueh
Charles A. Janeway, Jr.
C. Ronald Kahn
Yuet Wai Kan
Elliott D. Kieff
Seymour J. Klebanoff
Robert A. Klocke
Stuart Kornfeld
Ira Kurtz
Alan R. Leff
Derek LeRoith*
Peter Libby
Dean H. Lockwood
Richard M. Locksley*
David J. Loskutoff
Lloyd F. Mayer*
John A. McDonald
Shlomo Melmed
Donald Metcalf
Martin Michel
Thomas Michel*
Robert L. Modlin
Salvador Moncada
Jacob B. Natvig
Eric G. Neilson*
Yale Nemerson
Gerald T. Nepom
Elizabeth F. Neufeld
Daniel T. O'Connor
Stuart H. Orkin
George E. Palade
Stephen J. Pandol
Thalia Papayannopoulou*
James C. Paulson
Daniel K. Podolsky
Kenneth S. Polonsky
Jacques Pouyssegur
John C. Reed*
Douglas Richman
B. Lawrence Riggs*
John Ross, Jr.
Arthur H. Rubenstein
Erkki Ruoslahti
E. Helene Sage*
Stephen M. Schwartz
William E. Seaman
Larry J. Shapiro
Sanford J. Shattil*
Margaret Shipp
Jan J. Sixma
James R. Snapper
Roger Spragg
George Stamatoyannopoulos*
Daniel Steinberg
Eng M. Tan
Palmer W. Taylor
Donald F. Tierney
Michael Tuck
Denisa Wagner*
Geoffrey M. Wahl
John H. Walsh
Karlman Wasserman
Stephen Wasserman
David J. Weatherall
John B. West
Cornelia Weyand
Raymond L. White
Jeffrey A. Whitsett*
Flossie Wong-Staal
Stephen G. Young
Elizabeth Ziegler

*Members of the Editorial Committee, American Society for Clinical Investigation, Inc.

Editorial Office Manager Diane McFarland

Information Systems Specialist Ge Leah Wang

Secretary/Receptionist Cheryl Henderson-Gibbs

Manuscript Coordinator Supervisor Leslie K. Kucinskas

Manuscript Coordinators Rebecca Becklehamer, Heather Moore, and Bethany Schultz *Editorial Assistant* Robert Bennett

Copy Editing and Production Justine M. Manser, Geoffrey T. Van Dyke, Laura N. Buchholz, and Ann Flower

Editorial Offices: University of Michigan, School of Medicine

Contents

The Journal of Clinical Investigation
July 1, 1997, Volume 100, Number 1

Perspectives

Integrin signaling in vascular biology. *S.J. Shattil and M.H. Ginsberg* 1

Epithelial cells as sensors for microbial infection. *M.F. Kagnoff and L. Eckmann* 6

Rapid Publications

Kallistatin is a potent new vasodilator. *J. Chao, J.N. Stallone, Y.-M. Liang, L.-M. Chen, D.-Z. Wang, and L. Chao* 11

Stretch-induced VEGF expression in the heart. *J. Li, T. Hampton, J.P. Morgan, and M. Simons* 18

Receptor-mediated cellular entry of nuclear localizing anti-DNA antibodies via myosin 1. *K. Yanase, R.M. Smith, A. Puccetti, L. Jarett, and M.P. Madaio* 25

Regular Articles

Transgenic dissection of HIV genes involved in lymphoid depletion. *B.T. Tinkle, H. Ueda, L. Ngo, P.A. Luciw, K. Shaw, C.A. Rosen, and G. Jay* 32

Collagen from the osteogenesis imperfecta mouse model (oim) shows reduced resistance against tensile stress. *K. Misof, W.J. Landis, K. Klaushofer, and P. Fratzl* 40

BCR/ABL induces multiple abnormalities of cytoskeletal function. *R. Salgia, J.-L. Li, D.S. Ewaniuk, W. Pear, E. Pisick, S.A. Burky, T. Ernst, M. Sattler, L.B. Chen, and J.D. Griffin* 46

Plasmin and plasminogen activator inhibitor type 1 promote cellular motility by regulating the interaction between the urokinase receptor and vitronectin. *D.A. Waltz, L.R. Natkin, R.M. Fujita, Y. Wei, and H.A. Chapman* 58

CpG motifs in bacterial DNA cause inflammation in the lower respiratory tract. *D.A. Schwartz, T.J. Quinn, P.S. Thorne, S. Sayeed, A.-K. Yi, and A.M. Krieg* 68

Hepatic origin of cholesteryl oleate in coronary artery atherosclerosis in African green monkeys. Enrichment by dietary monounsaturated fat. *L.L. Rudel, J. Haines, J.K. Sawyer, R. Shah, M.S. Wilson, and T.P. Carr* 74

Nephropathy in human immunodeficiency virus-1 transgenic mice is due to renal transgene expression. *L.A. Bruggeman, S. Dikman, C. Meng, S.E. Quaggin, T.M. Coffman, and P.E. Klotman* 84

Aggrecan degradation in human cartilage. Evidence for both matrix metalloproteinase and aggrecanase activity in normal, osteoarthritic, and rheumatoid joints. *M.W. Lark, E.K. Bayne, J. Flanagan, C.F. Harper, L.A. Hoerrner, N.I. Hutchinson, I.I. Singer, S.A. Donatelli, J.R. Weidner, H.R. Williams, R.A. Mumford, and L.S. Lohmander* 93

Liver-directed gene transfer and prolonged expression of three major human ApoE isoforms in ApoE-deficient mice. *K. Tsukamoto, P. Smith, J.M. Glick, and D.J. Rader* 107

Characterization of protein kinase C β isoform activation on the gene expression of transforming growth factor-β, extracellular matrix components, and prostanoids in the glomeruli of diabetic rats. *D. Koya, M.R. Jirousek, Y.-W. Lin, H. Ishii, K. Kuboki, and G.L. King* 115

Anti-A2/RA33 autoantibodies are directed to the RNA binding region of the A2 protein of the heterogeneous nuclear ribonucleoprotein complex. Differential epitope recognition in rheumatoid arthritis, systemic lupus erythematosus, and mixed connective tissue disease. *K. Skriner, W.H. Sommergruber, V. Tremmel, I. Fischer, A. Barta, J.S. Smolen, and G. Steiner* 127

Direct, MHC-dependent presentation of the drug sulfamethoxazole to human αβ T cell clones. *B. Schnyder, D. Mauri-Hellweg, M. Zanni, F. Bettens, and W.J. Pichler* 136

Immune cell–derived β-endorphin. Production, release, and control of inflammatory pain in rats. *P.J. Cabot, L. Carter, C. Gaiddon, Q. Zhang, M. Schäfer, J.P. Loeffler, and C. Stein* 142

Ectopic expression of decorin protein core causes a generalized growth suppression in neoplastic cells of various histogenetic origin and requires endogenous p21, an inhibitor of cyclin-dependent kinases. *M. Santra, D.M. Mann, E.W. Mercer, T. Skorski, B. Calabretta, and R.V. Iozzo* 149

Oncostatin M is a proinflammatory mediator. In vivo effects correlate with endothelial cell expression of inflammatory cytokines and adhesion molecules. *V. Modur, M.J. Feldhaus, A.S. Weyrich, D.L. Jicha, S.M. Prescott, G.A. Zimmerman, and T.M. McIntyre* 158

Gene recombination in postmitotic cells. Targeted expression of Cre recombinase provokes cardiac-restricted, site-specific rearrangement in adult ventricular muscle in vivo. *R. Agah, P.A. Frenkel, B.A. French, L.H. Michael, P.A. Overbeek, and M.D. Schneider* 169

Susceptibility to atherosclerosis in mice expressing exclusively apolipoprotein B48 or apolipoprotein B100. *M.M. Véniant, V. Pierotti, D. Newland, C.M. Cham, D.A. Sanan, R.L. Walzem, and S.G. Young* 180

Possible evidence for endogenous production of a novel galanin-like peptide. *Z.-L. Wang, R.N. Kulkarni, R.-M. Wang, D.M. Smith, M.A. Ghatei, P.G.H. Byfield, W.M. Bennet, and S.R. Bloom* 189

Inhibitors of the proteasome reduce the accelerated proteolysis in atrophying rat skeletal muscles. *N.E. Tawa, Jr., R. Odessey, and A.L. Goldberg* 197

Intestinal epithelial cells use two distinct pathways for HLA class II antigen processing. *R.M. Hershberg, P.E. Framson, D.H. Cho, L.Y. Lee, S. Kovats, J. Beitz, J.S. Blum, and G.T. Nepom* 204

Rho proteins play a critical role in cell migration during the early phase of mucosal restitution. *M.F. Santos, S.A. McCormack, Z. Guo, J. Okolicany, Y. Zheng, L.R. Johnson, and G. Tigyi* 216

Respiratory syncytial virus infection results in airway hyperresponsiveness and enhanced airway sensitization to allergen. *J. Schwarze, E. Hamelmann, K.L. Bradley, K. Takeda, and E.W. Gelfand* 226

Author Index 235

Correction 237

Contents

The Journal of Clinical Investigation
July 15, 1997, Volume 100, Number 2

Perspectives

Invasion and intracellular sorting of bacteria: Searching for bacterial genes expressed during host/pathogen interactions. *S. Falkow* 239

Rapid Publications

Oxidized or acetylated low density lipoproteins are rapidly cleared by the liver in mice with disruption of the scavenger receptor class A type I/II gene. *W. Ling, M. Lougheed, H. Suzuki, A. Buchan, T. Kodama, and U.P. Steinbrecher* 244

Compartmentalization of angiotensin II generation in the dog heart. Evidence for independent mechanisms in intravascular and interstitial spaces. *L.J. Dell'Italia, Q.C. Meng, E. Balcells, C.-C. Wei, R. Palmer, G.R. Hageman, J. Durand, G.H. Hankes, and S. Oparil* 253

Vitamin D receptor genotype is associated with radiographic osteoarthritis at the knee. *A.G. Uitterlinden, H. Burger, Q. Huang, E. Odding, C.M. van Duijn, A. Hofman, J.C. Birkenhäger, J.P.T.M. van Leeuwen, and H.A.P. Pols* 259

The subtype 2 (AT_2) angiotensin receptor mediates renal production of nitric oxide in conscious rats. *H.M. Siragy and R.M. Carey* 264

Receptor-mediated regional sympathetic nerve activation by leptin. *W.G. Haynes, D.A. Morgan, S.A. Walsh, A.L. Mark, and W.I. Sivitz* 270

Regular Articles

$CD4^+$ T-lymphocytes mediate ischemia/reperfusion-induced inflammatory responses in mouse liver. *R.M. Zwacka, Y. Zhang, J. Halldorson, H. Schlossberg, L. Dudus, and J.F. Engelhardt* 279

Role of nitric oxide in obesity-induced β cell disease. *M. Shimabukuro, M. Ohneda, Y. Lee, and R.H. Unger* 290

Role of intestinal epithelial cells in the host secretory response to infection by invasive bacteria. Bacterial entry induces epithelial prostaglandin H synthase-2 expression and prostaglandin E_2 and $F_{2\alpha}$ production. *L. Eckmann, W.F. Stenson, T.C. Savidge, D.C. Lowe, K.E. Barrett, J. Fierer, J.R. Smith, and M.F. Kagnoff* 296

Neuronal cell death in Alzheimer's disease correlates with apoE uptake and intracellular Aβ stabilization. *F.M. LaFerla, J.C. Troncoso, D.K. Strickland, C.H. Kawas, and G. Jay* 310

Ectopic induction of tendon and ligament in rats by growth and differentiation factors 5, 6, and 7, members of the TGF-β gene family. *N.M. Wolfman, G. Hattersley, K. Cox, A.J. Celeste, R. Nelson, N. Yamaji, J.L. Dube, E. DiBlasio-Smith, J. Nove, J.J. Song, J.M. Wozney, and V. Rosen* 321

Fragile-X: Neuropsychological test performance, CGG triplet repeat lengths, and hippocampal volumes. *P. Jäkälä, T. Hänninen, M. Ryynänen, M. Laakso, K. Partanen, A. Mannermaa, and H. Soininen* 331

Immunodominance of a low-affinity major histocompatibility complex–binding myelin basic protein epitope (residues 111-129) in HLA-DR4 (B1*0401) subjects is associated with a restricted T cell receptor repertoire. *P.A. Muraro, M. Vergelli, M. Kalbus, D.E. Banks, J.W. Nagle, L.R. Tranquill, G.T. Nepom, W.E. Biddison, H.F. McFarland, and R. Martin* 339

Nitric oxide released from activated platelets inhibits platelet recruitment. *J.E. Freedman, J. Loscalzo, M.R. Barnard, C. Alpert, J.F. Keaney, Jr., and A.D. Michelson* 350

Cytokine-dependent gp130 receptor subunit regulates human fetal pituitary adrenocorticotropin hormone and growth hormone secretion. *I. Shimon, X. Yan, D.W. Ray, and S. Melmed* 357

Induction of protective immunity after *Escherichia coli* bladder infection in primates. Dependence of the globoside-specific P-fimbrial tip adhesin and its cognate receptor. *M. Söderhäll, S. Normark, K. Ishikawa, K.-A. Karlsson, S. Teneberg, J. Winberg, and R. Möllby* 364

The *RHD* gene is highly detectable in RhD-negative Japanese donors. *H. Okuda, M. Kawano, S. Iwamoto, M. Tanaka, T. Seno, Y. Okubo, and E. Kajii* 373

Overexpression of the rat sarcoplasmic reticulum Ca^{2+} ATPase gene in the heart of transgenic mice accelerates calcium transients and cardiac relaxation. *H. He, F.J. Giordano, R. Hilal-Dandan, D.-J. Choi, H.A. Rockman, P.M. McDonough, W.F. Bluhm, M. Meyer, M.R. Sayen, E. Swanson, and W.H. Dillmann* 380

Vasoactive intestinal peptide prevents excitotoxic cell death in the murine developing brain. *P. Gressens, S. Marret, J.M. Hill, D.E. Brenneman, I. Gozes, M. Fridkin, and P. Evrard* 390

The insulinotropic potency of fatty acids is influenced profoundly by their chain length and degree of saturation. *D.T. Stein, B.E. Stevenson, M.W. Chester, M. Basit, M.B. Daniels, S.D. Turley, and J.D. McGarry* 398

A novel pancreatic endocrine tumor suppressor gene locus on chromosome 3p with clinical prognostic implications. *D.C. Chung, A.P. Smith, D.N. Louis, F. Graeme-Cook, A.L. Warshaw, and A. Arnold* 404

Identification of functional endothelial protein C receptor in human plasma. *S. Kurosawa, D.J. Stearns-Kurosawa, N. Hidari, and C.T. Esmon* 411

Cytosolic domain of the type I interleukin-1 receptor spontaneously recruits signaling molecules to activate a proinflammatory gene. *R. Singh, S. Huang, T. Guth, M. Konieczkowski, and J.R. Sedor* 419

Prevention of an increase in plasma cortisol during hypoglycemia preserves subsequent counterregulatory responses. *S.N. Davis, C. Shavers, B. Davis, and F. Costa* 429

Inhibition of constitutive nitric oxide synthase (NOS) by nitric oxide generated by inducible NOS after lipopolysaccharide administration provokes renal dysfunction in rats. *D. Schwartz, M. Mendonca, I. Schwartz, Y. Xia, J. Satriano, C.B. Wilson, and R.C. Blantz* 439

Alterations in skeletal muscle protein–tyrosine phosphatase activity and expression in insulin-resistant human obesity and diabetes. *F. Ahmad, J.L. Azevedo, Jr., R. Cortright, G.L. Dohm, and B.J. Goldstein* 449

Stimulation of suppressive T cell responses by human but not bacterial 60-kD heat-shock protein in synovial fluid of patients with rheumatoid arthritis. *J.A.G. van Roon, W. van Eden, J.L.A.M. van Roy, F.J.P.G. Lafeber, and J.W.J. Bijlsma* 459

Overexpression of apolipoprotein AII in transgenic mice converts high density lipoproteins to proinflammatory particles. *L.W. Castellani, M. Navab, B.J. Van Lenten, C.C. Hedrick, S.Y. Hama, A.M. Goto, A.M. Fogelman, and A.J. Lusis* 464

Novel splice donor site mutation in the cardiac myosin-binding protein-C gene in familial hypertrophic cardiomyopathy. Characterization of cardiac transcript and protein. *W. Rottbauer, M. Gautel, J. Zehelein, S. Labeit, W.M. Franz, C. Fischer, B. Vollrath, G. Mall, R. Dietz, W. Kübler, and H.A. Katus* 475

Author Index 483

Contents

The Journal of Clinical Investigation
August 1, 1997, Volume 100, Number 3

Perspectives

Role of PSGL-1 binding to selectins in leukocyte recruitment. *R.P. McEver and R.D. Cummings* 485

Apoptosis in bacterial pathogenesis. *A. Zychlinsky and P. Sansonetti* 493

Rapid Publications

The amino-terminal domain of the CCR2 chemokine receptor acts as coreceptor for HIV-1 infection. *J.M.R. Frade, M. Llorente, M. Mellado, J. Alcamí, J.C. Gutiérrez-Ramos, A. Zaballos, G. del Real, and C. Martínez-A.* 497

Regular Articles

Human histocompatibility leukocyte antigen–binding supermotifs predict broadly cross-reactive cytotoxic T lymphocyte responses in patients with acute hepatitis. *R. Bertoni, J. Sidney, P. Fowler, R.W. Chesnut, F.V. Chisari, and A. Sette* 503

Cloning, characterization, and functional studies of a nonintegrin platelet receptor for type I collagen. *T.M. Chiang, A. Rinaldy, and A.H. Kang* 514

Prevention of in vitro neutrophil adhesion to endothelial cells through shedding of L-selectin by C-reactive protein and peptides derived from C-reactive protein. *C. Zouki, M. Beauchamp, C. Baron, and J.G. Filep* 522

Treatment with the oral antidiabetic agent troglitazone improves β cell responses to glucose in subjects with impaired glucose tolerance. *M.K. Cavaghan, D.A. Ehrmann, M.M. Byrne, and K.S. Polonsky* 530

Regulation of sodium-dependent phosphate transport in osteoclasts. *A. Gupta, X.-L. Guo, U.M. Alvarez, and K.A. Hruska* 538

Interferon-γ deficiency prevents coronary arteriosclerosis but not myocardial rejection in transplanted mouse hearts. *H. Nagano, R.N. Mitchell, M.K. Taylor, S. Hasegawa, N.L. Tilney, and P. Libby* 550

Modification of apolipoprotein(a) lysine binding site reduces atherosclerosis in transgenic mice. *N.W. Boonmark, X.J. Lou, Z.J. Yang, K. Schwartz, J.-L. Zhang, E.M. Rubin, and R.M. Lawn* 558

Alpha toxin from *Clostridium perfringens* induces proinflammatory changes in endothelial cells. *M. Bunting, D.E. Lorant, A.E. Bryant, G.A. Zimmerman, T.M. McIntyre, D.L. Stevens, and S.M. Prescott* 565

A role for TGFβ1 in Langerhans cell biology. Further characterization of the epidermal Langerhans cell defect in TGFβ1 null mice. *T.A. Borkowski, J.J. Letterio, C.L. Mackall, A. Saitoh, X.-J. Wang, D.R. Roop, R.E. Gress, and M.C. Udey* 575

Activation of extracellular signal-regulated kinase in proliferative glomerulonephritis in rats. *D. Bokemeyer, K.E. Guglielmi, A. McGinty, A. Sorokin, E.A. Lianos, and M.J. Dunn* 582

Hemodynamic forces induce the expression of heme oxygenase in cultured vascular smooth muscle cells. *C.T. Wagner, W. Durante, N. Christodoulides, J.D. Hellums, and A.I. Schafer* 589

Cholecystokinin A and B receptors are differentially expressed in normal pancreas and pancreatic adenocarcinoma. *D.S. Weinberg, B. Ruggeri, M.T. Barber, S. Biswas, S. Miknyocki, and S.A. Waldman* 597

Microglial production of TNF-α is induced by activated T lymphocytes. Involvement of VLA-4 and inhibition by interferonβ-1b. *S. Chabot, G. Williams, and V.W. Yong* 604

Neurological dysfunction and hyperactive behavior associated with antiphospholipid antibodies. A mouse model. *L. Ziporen, Y. Shoenfeld, Y. Levy, and A.D. Korczyn* 613

Genetic correction of dystrophin deficiency and skeletal muscle remodeling in adult *MDX* mouse via transplantation of retroviral producer cells. *A. Fassati, D.J. Wells, P.A. Sgro Serpente, F.S. Walsh, S.C. Brown, P.N. Strong, and G. Dickson* 620

Nonatopic asthma: In vivo airway hyperreactivity adoptively transferred to naive mice by THY-1$^+$ and B220$^+$ antigen-specific cells that lack surface expression of CD3. *G.P. Geba, C.D. Wegner, W.W. Wolyniec, Y. Li, and P.W. Askenase* 629

Stimulation of activin A expression in rat aortic smooth muscle cells by thrombin and angiotensin II correlates with neointimal formation in vivo. *J.E. Pawlowski, D.S. Taylor, M. Valentine, M.E. Hail, P. Ferrer, M.C. Kowala, and C.J. Molloy* 639

Lipoprotein lipase regulates Fc receptor-mediated phagocytosis by macrophages maintained in glucose-deficient medium. *B. Yin, J.D. Loike, Y. Kako, P.H. Weinstock, J.L. Breslow, S.C. Silverstein, and I.J. Goldberg* 649

Genetic bias in immune responses to a cassette shared by different microorganisms in patients with rheumatoid arthritis. *A. La Cava, J.L. Nelson, W.E.R. Ollier, A. MacGregor, E.C. Keystone, J.C. Thorne, J.F. Scavulli, C.C. Berry, D.A. Carson, and S. Albani* 658

Tyrosine kinase inhibition ameliorates the hyperdynamic state and decreases nitric oxide production in cirrhotic rats with portal hypertension and ascites. *J.C. López-Talavera, A. Levitzki, M. Martínez, A. Gazit, R. Esteban, and J. Guardia* 664

Muscle-specific transgenic complementation of GLUT4-deficient mice. Effects on glucose but not lipid metabolism. *T.-S. Tsao, A.E. Stenbit, J. Li, K.L. Houseknecht, J.R. Zierath, E.B. Katz, and M.J. Charron* 671

Improvement in endothelial function by angiotensin converting enzyme inhibition in insulin-dependent diabetes mellitus. *G. O'Driscoll, D. Green, J. Rankin, K. Stanton, and R. Taylor* 678

Barrier effects of hyperosmolar signaling in microvascular endothelium of rat lung. *R. Ragette, C. Fu, and J. Bhattacharya* 685

The inhibition of vascular smooth muscle cell migration by peptide and antibody antagonists of the $\alpha_v\beta_3$ integrin complex is reversed by activated calcium/calmodulin–dependent protein kinase II. *C. Bilato, K.A. Curto, R.E. Monticone, R.R. Pauly, A.J. White, and M.T. Crow* 693

Activators of the nuclear hormone receptors PPARα and FXR accelerate the development of the fetal epidermal permeability barrier. *K. Hanley, Y. Jiang, D. Crumrine, N.M. Bass, R. Appel, P.M. Elias, M.L. Williams, and K.R. Feingold* 705

Cytosolic-free calcium increases to greater than 100 micromolar in ATP-depleted proximal tubules. *J.M. Weinberg, J.A. Davis, and M.A. Venkatachalam* 713

Endothelial dysfunction in a rat model of endotoxic shock. Importance of the activation of poly (ADP-ribose) synthetase by peroxynitrite. *C. Szabó, S. Cuzzocrea, B. Zingarelli, M. O'Connor, and A.L. Salzman* 723

E2 transacylase-deficient (type II) maple syrup urine disease. Aberrant splicing of E2 mRNA caused by internal intronic deletions and association with thiamine-responsive phenotype. *J.L. Chuang, R.P. Cox, and D.T. Chuang* 736

Simultaneous stimulation of slow-wave sleep and growth hormone secretion by gamma-hydroxybutyrate in normal young men. *E. Van Cauter, L. Plat, M.B. Scharf, R. Leproult, S. Cespedes, M. L'Hermite-Balériaux, and G. Copinschi* 745

Author Index 755

Correction 757

Contents

The Journal of Clinical Investigation

August 15, 1997, Volume 100, Number 4

Perspectives

Ecology of *Helicobacter pylori* in the human stomach. *M.J. Blaser* 759

Rapid Publications

Simultaneous expression of *Borrelia* OspA and OspC and IgM response in cerebrospinal fluid in early neurologic Lyme disease. *S.E. Schutzer, P.K. Coyle, L.B. Krupp, Z. Deng, A.L. Belman, R. Dattwyler, and B.J. Luft* 763

Adenovector-mediated gene transfer of active transforming growth factor-β1 induces prolonged severe fibrosis in rat lung. *P.J. Sime, Z. Xing, F.L. Graham, K.G. Csaky, and J. Gauldie* 768

Regular Articles

Intact insulin stimulation of skeletal muscle blood flow, its heterogeneity and redistribution, but not of glucose uptake in non-insulin-dependent diabetes mellitus. *T. Utriainen, P. Nuutila, T. Takala, P. Vicini, U. Ruotsalainen, T. Rönnemaa, T. Tolvanen, M. Raitakari, M. Haaparanta, O. Kirvelä, C. Cobelli, and H. Yki-Järvinen* 777

Extraglomerular origin of the mesangial cell after injury. A new role of the juxtaglomerular apparatus. *C. Hugo, S.J. Shankland, D.F. Bowen-Pope, W.G. Couser, and R.J. Johnson* 786

A novel pathogenesis of megacolon in Ncx/Hox11L.1 deficient mice. *M. Hatano, T. Aoki, M. Dezawa, S. Yusa, Y. Iitsuka, H. Koseki, M. Taniguchi, and T. Tokuhisa* 795

Somatic deletion of the imprinted 11p15 region in sporadic persistent hyperinsulinemic hypoglycemia of infancy is specific of focal adenomatous hyperplasia and endorses partial pancreatectomy. *P. de Lonlay, J.-C. Fournet, J. Rahier, M.-S. Gross-Morand, F. Poggi-Travert, V. Foussier, J.-P. Bonnefont, M.-C. Brusset, F. Brunelle, J.-J. Robert, C. Nihoul-Fékété, J.-M. Saudubray, and C. Junien* 802

Contribution of androgens to the gender difference in leptin production in obese children and adolescents. *M. Wabitsch, W.F. Blum, R. Muche, M. Braun, F. Hube, W. Rascher, E. Heinze, W. Teller, and H. Hauner* 808

Association of angiotensinogen gene T235 variant with progression of immunoglobin A nephropathy in Caucasian patients. *Y. Pei, J. Scholey, K. Thai, M. Suzuki, and D. Cattran* 814

Significant reduction of the antiatherogenic effect of estrogen by long-term inhibition of nitric oxide synthesis in cholesterol-clamped rabbits. *P. Holm, N. Korsgaard, M. Shalmi, H.L. Andersen, P. Hougaard, S.O. Skouby, and S. Stender* 821

Interferon γ and interleukin 4 stimulate prolonged expression of inducible nitric oxide synthase in human airway epithelium through synthesis of soluble mediators. *F.H. Guo, K. Uetani, S.J. Haque, B.R.G. Williams, R.A. Dweik, F.B.J.M. Thunnissen, W. Calhoun, and S.C. Erzurum* 829

Age-dependent increase in *ortho*-tyrosine and methionine sulfoxide in human skin collagen is not accelerated in diabetes. Evidence against a generalized increase in oxidative stress in diabetes. *M.C. Wells-Knecht, T.J. Lyons, D.R. McCance, S.R. Thorpe, and J.W. Baynes* 839

Depletion of reactive advanced glycation endproducts from diabetic uremic sera using a lysozyme-linked matrix. *T. Mitsuhashi, Y.M. Li, S. Fishbane, and H. Vlassara* 847

Characterization of T cell repertoire in patients with graft-versus-leukemia after donor lymphocyte infusion. *E.J. Claret, E.P. Alyea, E. Orsini, C.C. Pickett, H. Collins, Y. Wang, D. Neuberg, R.J. Soiffer, and J. Ritz* 855

Subendothelial retention of lipoprotein (a). Evidence that reduced heparan sulfate promotes lipoprotein binding to subendothelial matrix. *S. Pillarisetti, L. Paka, J.C. Obunike, L. Berglund, and I.J. Goldberg* 867

The mitogen-activated protein kinase pathway can mediate growth inhibition and proliferation in smooth muscle cells. Dependence on the availability of downstream targets. *K.E. Bornfeldt, J.S. Campbell, H. Koyama, G.M. Argast, C.C. Leslie, E.W. Raines, E.G. Krebs, and R. Ross* 875

Replacing the first epidermal growth factor-like domain of Factor IX with that of Factor VII enhances activity in vitro and in canine hemophilia B. *J.-Y. Chang, D.M. Monroe, D.W. Stafford, K.M. Brinkhous, and H.R. Roberts* 886

Dynamics of HIV-1 mRNA expression in patients with long-term nonprogressive HIV-1 infection. *M. Comar, C. Simonelli, S. Zanussi, P. de Paoli, E. Vaccher, U. Tirelli, and M. Giacca* 893

Perforin/granzyme-dependent and independent mechanisms are both important for the development of graft-versus-host disease after murine bone marrow transplantation. *T.A. Graubert, J.F. DiPersio, J.H. Russell, and T.J. Ley* 904

Soluble factor(s) produced by adult bone marrow stroma inhibit in vitro proliferation and differentiation of fetal liver BFU-E by inducing apoptosis. *V. Roy and C.M. Verfaillie* 912

Do β-chemokines have clinical relevance in HIV infection? *C.E. Mackewicz, E. Barker, G. Greco, G. Reyes-Teran and J.A. Levy* 921

Regulation of glucose homeostasis in humans with denervated livers. *G. Perseghin, E. Regalia, A. Battezzati, S. Vergani, A. Pulvirenti, I. Terruzzi, D. Baratti, F. Bozzetti, V. Mazzaferro, and L. Luzi* 931

Nitric oxide decreases stability of mRNAs encoding soluble guanylate cyclase subunits in rat pulmonary artery smooth muscle cells. *G. Filippov, D.B. Bloch, and K.D. Bloch* 942

Author Index 949

Correction 951

Contents

The Journal of Clinical Investigation

September 1, 1997, Volume 100, Number 5

Editorials

Hematopoiesis and the defect in paroxysmal nocturnal hemoglobinuria. *W.F. Rosse* 953

NO therapy? *A.N. Schechter* 955

Rapid Publications

Generation and phenotype of a transgenic knockout mouse lacking the mercurial-insensitive water channel aquaporin-4. *T. Ma, B. Yang, A. Gillespie, E.J. Carlson, C.J. Epstein, and A.S. Verkman* 957

Intercellular adhesion molecule-1 deficiency prolongs survival and protects against the development of pulmonary inflammation during murine lupus. *C.M. Lloyd, J.-A. Gonzalo, D.J. Salant, J. Just, and J.-C. Gutierrez-Ramos* 963

Regular Articles

Role of NFκB in the mortality of sepsis. *H. Böhrer, F. Qiu, T. Zimmermann, Y. Zhang, T. Jllmer, D. Männel, B.W. Böttiger, D.M. Stern, R. Waldherr, H.-D. Saeger, R. Ziegler, A. Bierhaus, E. Martin, and P.P. Nawroth* 972

Bone marrow transplantation reproduces the tristetraprolin-deficiency syndrome in recombination activating gene-2 (−/−) mice. Evidence that monocyte/macrophage progenitors may be responsible for TNFα overproduction. *E. Carballo, G.S. Gilkeson, and P.J. Blackshear* 986

Platelet activation in mice and human *Helicobacter pylori* infection. *J.I. Elizalde, J. Gómez, J. Panés, M. Lozano, M. Casadevall, J. Ramírez, P. Pizcueta, F. Marco, F. Díaz de Rojas, D.N. Granger, and J.M. Piqué* 996

Transcriptional targeting of replication-defective adenovirus transgene expression to smooth muscle cells in vivo. *S. Kim, H. Lin, E. Barr, L. Chu, J.M. Leiden, and M.S. Parmacek* 1006

The critical early proinflammatory events associated with idiopathic pneumonia syndrome in irradiated murine allogeneic recipients are due to donor T cell infusion and potentiated by cyclophosphamide. *A. Panoskaltsis-Mortari, P.A. Taylor, T.M. Yaeger, O.D. Wangensteen, P.B. Bitterman, D.H. Ingbar, D.A. Vallera, and B.R. Blazar* 1015

Murine embryonic stem cells without *pig-a* gene activity are competent for hematopoiesis with the PNH phenotype but not for clonal expansion. *V. Rosti, G. Tremml, V. Soares, P.P. Pandolfi, L. Luzzatto, and M. Bessler* 1028

Bombesin-induced gastrin release from canine G cells is stimulated by Ca^{2+} but not by protein kinase C, and is enhanced by disruption of rho/cytoskeletal pathways. *R. Seensalu, D. Avedian, R. Barbuti, M. Song, L. Slice, and J.H. Walsh* 1037

Angiotensin II stimulates expression of the chemokine RANTES in rat glomerular endothelial cells. Role of the angiotensin type 2 receptor. *G. Wolf, F.N. Ziyadeh, F. Thaiss, J. Tomaszewski, R.J. Caron, U. Wenzel, G. Zahner, U. Helmchen, and R.A.K. Stahl* 1047

A novel polymorphism of FcγRIIIa (CD16) alters receptor function and predisposes to autoimmune disease. *J. Wu, J.C. Edberg, P.B. Redecha, V. Bansal, P.M. Guyre, K. Coleman, J.E. Salmon, and R.P. Kimberly* 1059

Developmental changes in water permeability across the alveolar barrier in perinatal rabbit lung. *E.P. Carter, F. Umenishi, M.A. Matthay, and A.S. Verkman* 1071

Structural cues involved in endoplasmic reticulum degradation of G85E and G91R mutant cystic fibrosis transmembrane conductance regulator. *X. Xiong, A. Bragin, J.H. Widdicombe, J. Cohn, and W.R. Skach* 1079

Nitric oxide induces heat-shock protein 70 expression in vascular smooth muscle cells via activation of heat shock factor 1. *Q. Xu, Y. Hu, R. Kleindienst, and G. Wick* 1089

Targeted gene disruption reveals a leptin-independent role for the mouse β_3-adrenoceptor in the regulation of body composition. *J.-P. Revelli, F. Preitner, S. Samec, P. Muniesa, F. Kuehne, O. Boss, J.-D. Vassalli, A. Dulloo, J. Seydoux, J.-P. Giacobino, J. Huarte, and C. Ody* 1098

Effects of prolonged hyperinsulinemia on serum leptin in normal human subjects. *G. Boden, X. Chen, J.W. Kolaczynski, and M. Polansky* 1107

Recognition of the immunodominant myelin basic protein peptide by autoantibodies and HLA-DR2-restricted T cell clones from multiple sclerosis patients. Identity of key contact residues in the B-cell and T-cell epitopes. *K.W. Wucherpfennig, I. Catz, S. Hausmann, J.L. Strominger, L. Steinman, and K.G. Warren* 1114

Localization of a domain in the FimH adhesin of *Escherichia coli* type 1 fimbriae capable of receptor recognition and use of a domain-specific antibody to confer protection against experimental urinary tract infection. *K. Thankavel, B. Madison, T. Ikeda, R. Malaviya, A.H. Shah, P.M. Arumugam, and S.N. Abraham* 1123

High expression of the chemokine receptor CCR3 in human blood basophils. Role in activation by eotaxin, MCP-4, and other chemokines. *M. Uguccioni, C.R. Mackay, B. Ochensberger, P. Loetscher, S. Rhis, G.J. LaRosa, P. Rao, P.D. Ponath, M. Baggiolini, and C.A. Dahinden* 1137

Lack of high affinity fiber receptor activity explains the resistance of ciliated airway epithelia to adenovirus infection. *J. Zabner, P. Freimuth, A. Puga, A. Fabrega, and M.J. Welsh* 1144

Modulation of eicosanoid metabolism in endothelial cells in a xenograft model. Role of cyclooxygenase-2. *M. Bustos, T.M. Coffman, S. Saadi, and J.L. Platt* 1150

Biologically inactive growth hormone caused by an amino acid substitution. *Y. Takahashi, H. Shirono, O. Arisaka, K. Takahashi, T. Yagi, J. Koga, H. Kaji, Y. Okimura, H. Abe, T. Tanaka, and K. Chihara* 1159

Insulin resistance and hypersecretion in obesity. *E. Ferrannini, A. Natali, P. Bell, P. Cavallo-Perin, N. Lalic, and G. Mingrone, on behalf of the European Group for the Study of Insulin Resistance (EGIR)* 1166

Leptin constrains acetylcholine-induced insulin secretion from pancreatic islets of ob/ob mice. *N.-G. Chen, A.G. Swick, and D.R. Romsos* 1174

Stimulus coupling to transcription versus secretion in pheochromocytoma cells. Convergent and divergent signal transduction pathways and the crucial roles for route of cytosolic calcium entry and protein kinase C. *K. Tang, H. Wu, S.K. Mahata, M. Mahata, B.M. Gill, R.J. Parmer, and D.T. O'Connor* 1180

Low concentrations of nitric oxide increase oxygen affinity of sickle erythrocytes in vitro and in vivo. *C.A. Head, C. Brugnara, R. Martinez-Ruiz, R.M. Kacmarek, K.R. Bridges, D. Kuter, K.D. Bloch, and W.M. Zapol* 1193

The role of the B7 costimulatory pathway in experimental cold ischemia/reperfusion injury. *M. Takada, A. Chandraker, K.C. Nadeau, M.H. Sayegh, and N.L. Tilney* 1199

Expression of mucosal homing receptor α4β7 by circulating $CD4^+$ cells with memory for intestinal rotavirus. *L.S. Rott, J.R. Rosé, D. Bass, M.B. Williams, H.B. Greenberg, and E.C. Butcher* 1204

Induction of heme oxygenase-1 inhibits the monocyte transmigration induced by mildly oxidized LDL. *K. Ishikawa, M. Navab, N. Leitinger, A.M. Fogelman, and A.J. Lusis* 1209

Growth as a solid tumor or reduced glucose concentrations in culture reversibly induce CD44-mediated hyaluronan recognition by Chinese hamster ovary cells. *Z. Zheng, R.D. Cummings, P.E. Pummill, and P.W. Kincade* 1217

Elevated circulating free fatty acid levels impair endothelium-dependent vasodilation. *H.O. Steinberg, M. Tarshoby, R. Monestel, G. Hook, J. Cronin, A. Johnson, B. Bayazeed, and A.D. Baron* 1230

Identification of an obesity quantitative trait locus on mouse chromosome 2 and evidence of linkage to body fat and insulin on the human homologous region 20q. *A.V. Lembertas, L. Pérusse, Y.C. Chagnon, J.S. Fisler, C.H. Warden, D.A. Purcell-Huynh, F.T. Dionne, J. Gagnon, A. Nadeau, A.J. Lusis, and C. Bouchard* 1240

Melanoma cells constitutively release an anchor-positive soluble form of protectin (sCD59) that retains functional activities in homologous complement-mediated cytotoxicity. *L.I. Brasoveanu, E. Fonsatti, A. Visintin, M. Pavlovic, I. Cattarossi, F. Colizzi, A. Gasparollo, S. Coral, V. Horejsi, M. Altomonte, and M. Maio* 1248

A major role for neutrophils in experimental bullous pemphigoid. *Z. Liu, G.J. Giudice, X. Zhou, S.J. Swartz, J.L. Troy, J.A. Fairley, G.O. Till, and L.A. Diaz* 1256

Eicosanoid excretion in hepatic cirrhosis. Predominance of 20-HETE. *D. Sacerdoti, M. Balazy, P. Angeli, A. Gatta, and J.C. McGiff* 1264

Heparin-binding ligands mediate autocrine epidermal growth factor receptor activation in skin organ culture. *S. Stoll, W. Garner, and J. Elder* 1271

Taxol-resistant epithelial ovarian tumors are associated with altered expression of specific β-tubulin isotypes. *M. Kavallaris, D.Y.-S. Kuo, C.A. Burkhart, D.L. Regl, M.D. Norris, M. Haber, and S.B. Horwitz* 1282

Identification of a *cis*-acting regulatory element conferring inducibility of the atrial natriuretic factor gene in acute pressure overload. *R. von Harsdorf, J.G. Edwards, Y.-T. Shen, R.K. Kudej, R. Dietz, L.A. Leinwand, B. Nadal-Ginard, and S.F. Vatner* 1294

Hepatic gluconeogenic fluxes and glycogen turnover during fasting in humans. A stable isotope study. *M.K. Hellerstein, R.A. Neese, P. Linfoot, M. Christiansen, S. Turner, A. Letscher* 1305

Author Index 1321

Correction 1323

Contents

The Journal of Clinical Investigation
September 15, 1997, Volume 100, Number 6

Perspectives

Aspirin use and potential mechanisms for colorectal cancer prevention. *C.S. Williams, W. Smalley, and R.N. DuBois* 1325

Rapid Publications

Proliferative responses to recall antigens are associated with pregnancy outcome in women with a history of recurrent spontaneous abortion. *B.L. Bermas and J.A. Hill* 1330

Hormonal and cellular regulation of Sertoli cell anti-Müllerian hormone production in the postnatal mouse. *L. Al-Attar, K. Noël, M. Dutertre, C. Belville, M.G. Forest, P.S. Burgoyne, N. Josso, and R. Rey* 1335

Metabolically inactive insulin analog prevents type I diabetes in prediabetic NOD mice. *D.G. Karounos, J.S. Bryson, and D.A. Cohen* 1344

Regular Articles

Role and mechanisms of action of acetylcholine in the regulation of rat cholangiocyte secretory functions. *D. Alvaro, G. Alpini, A.M. Jezequel, C. Bassotti, C. Francia, F. Fraioli, R. Romeo, L. Marucci, G. Le Sage, S.S. Glaser, and A. Benedetti* 1349

Myocyte apoptosis during acute myocardial infarction in the mouse localizes to hypoxic regions but occurs independently of p53. *S. Bialik, D.L. Geenen, I.E. Sasson, R. Cheng, J.W. Horner, S.M. Evans, E.M. Lord, C.J. Koch, and R.N. Kitsis* 1363

Genetic susceptibility to hypertension-induced renal damage in the rat. Evidence based on kidney-specific genome transfer. *P.C. Churchill, M.C. Churchill, A.K. Bidani, K.A. Griffin, M. Picken, M. Pravenec, V. Kren, E. St. Lezin, J.-M. Wang, N. Wang, and T.W. Kurtz* 1373

Mast cell tryptase regulates rat colonic myocytes through proteinase-activated receptor 2. *C.U. Corvera, O. Déry, K. McConalogue, S.K. Böhm, L.M. Khitin, G.H. Caughey, D.G. Payan, and N.W. Bunnett* 1383

Creation of an in vivo cytosensor using engineered mesangial cells. Automatic sensing of glomerular inflammation controls transgene activity. *M. Kitamura and H. Kawachi* 1394

Hepatic function in a family with a nonsense mutation (R154X) in the hepatocyte nuclear factor-4α/MODY1 gene. *T. Lindner, C. Gragnoli, H. Furuta, B.N. Cockburn, C. Petzold, H. Rietzsch, U. Weiß, J. Schulze, and G.I. Bell* 1400

Angiotensinogen T235 expression is elevated in decidual spiral arteries. *T. Morgan, C. Craven, L. Nelson, J.-M. Lalouel, and K. Ward* 1406

Antineutrophil cytoplasmic antibodies induce monocyte IL-8 release. Role of surface proteinase-3, α1-antitrypsin, and Fcγ receptors. *D.R. Ralston, C.B. Marsh, M.P. Lowe, and M.D. Wewers* 1416

Targeted overexpression of IGF-I evokes distinct patterns of organ remodeling in smooth muscle cell tissue beds of transgenic mice. *J. Wang, W. Niu, Y. Nikiforov, S. Naito, S. Chernausek, D. Witte, D. LeRoith, A. Strauch, and J.A. Fagin* 1425

Myotonic dystrophy protein kinase is involved in the modulation of the Ca^{2+} homeostasis in skeletal muscle cells. *A.A.G.M. Benders, P.J.T.A. Groenen, F.T.J.J. Oerlemans, J.H. Veerkamp, and B. Wieringa* 1440

Ventilation and oxygenation induce endothelial nitric oxide synthase gene expression in the lungs of fetal lambs. *S.M. Black, M.J. Johengen, Z.-D. Ma, J. Bristow, and S.J. Soifer* 1448

Removal of erythrocyte membrane iron in vivo ameliorates the pathobiology of murine thalassemia. *P.V. Browne, O. Shalev, F.A. Kuypers, C. Brugnara, A. Solovey, N. Mohandas, S.L. Schrier, and R.P. Hebbel* 1459

Modulation of the effector function of human macrophages for *Histoplasma capsulatum* by HIV-1. Role of the envelope glycoprotein gp120. *S. Chaturvedi and S.L. Newman* 1465

Histomorphometric assessment of the long-term effects of alendronate on bone quality and remodeling in patients with osteoporosis. *P.M. Chavassieux, M.E. Arlot, C. Reda, L. Wei, A.J. Yates, and P.J. Meunier* 1475

Binding of high molecular weight kininogen to human endothelial cells is mediated via a site within domains 2 and 3 of the urokinase receptor. *R.W. Colman, R.A. Pixley, S. Najamunnisa, W. Yan, J. Wang, A. Mazar, and K.R. McCrae* 1481

The β2 subunit inhibits stimulation of the α1/β1 form of soluble guanylyl cyclase by nitric oxide. Potential relevance to regulation of blood pressure. *G. Gupta, M. Azam, L. Yang, and R.S. Danziger* 1488

Lipoprotein(a) vascular accumulation in mice. In vivo analysis of the role of lysine binding sites using recombinant adenovirus. *S.D. Hughes, X.J. Lou, S. Ighani, J. Verstuyft, D.J. Grainger, R.M. Lawn, and E.M. Rubin* 1493

Overexpression of metallothionein in the heart of transgenic mice suppresses doxorubicin cardiotoxicity. *Y.J. Kang, Y. Chen, A. Yu, M. Voss-McCowan, and P.N. Epstein* 1501

Tissue- and development-specific expression of multiple alternatively spliced transcripts of rat neuronal nitric oxide synthase. *M.A. Lee, L. Cai, N. Hübner, Y.A. Lee, and K. Lindpaintner* 1507

β2-Agonists prevent Th1 development by selective inhibition of interleukin 12. *P. Panina-Bordignon, D. Mazzeo, P. Di Lucia, D. D'Ambrosio, R. Lang, L. Fabbri, C. Self, and F. Sinigaglia* 1513

Reduction of renal mass is lethal in mice lacking vimentin. Role of endothelin–nitric oxide imbalance. *F. Terzi, D. Henrion, E. Colucci-Guyon, P. Federici, C. Babinet, B.I. Levy, P. Briand, and G. Friedlander* 1520

Comparison of DNA–lipid complexes and DNA alone for gene transfer to cystic fibrosis airway epithelia in vivo. *J. Zabner, S.H. Cheng, D. Meeker, J. Launspach, R. Balfour, M.A. Perricone, J.E. Morris, J. Marshall, A. Fasbender, A.E. Smith, and M.J. Welsh* 1529

Production and physiological actions of anandamide in the vasculature of the rat kidney. *D.G. Deutsch, M.S. Goligorsky, P.C. Schmid, R.J. Krebsbach, H.H.O. Schmid, S.K. Das, S.K. Dey, G. Arreaza, C. Thorup, G. Stefano, and L.C. Moore* 1538

Reconstitution of mutant V2 vasopressin receptors by adenovirus-mediated gene transfer. Molecular basis and clinical implication. *T. Schöneberg, V. Sandig, J. Wess, T. Gudermann, and G. Schultz* 1547

Lipopolysaccharide-stimulated osteoclastogenesis is mediated by tumor necrosis factor via its P55 receptor. *Y. Abu-Amer, F.P. Ross, J. Edwards, and S.L. Teitelbaum* 1557

Biomechanical coupling in renin-releasing cells. *R.M. Carey, H.E. McGrath, E.S. Pentz, R.A. Gomez, and P.Q. Barrett* 1566

The effects of total lymphocyte deficiency on the extent of atherosclerosis in apolipoprotein E−/− mice. *A. Daugherty, E. Puré, D. Delfel-Butteiger, S. Chen, J. Leferovich, S.E. Roselaar, and D.J. Rader* 1575

Heterozygosity for a defective gene for cc chemokine receptor 5 is not the sole determinant for the immunologic and virologic phenotype of HIV-infected long-term nonprogressors. *O.J. Cohen, M. Vaccarezza, G.K. Lam, B.F. Baird, K. Wildt, P.M. Murphy, P.A. Zimmerman, T.B. Nutman, C.H. Fox, S. Hoover, J. Adelsberger, M. Baseler, J. Arthos, R.T. Davey, Jr., R.L. Dewar, J. Metcalf, D.J. Schwartzentruber, J.M. Orenstein, S. Buchbinder, A.J. Saah, R. Detels, J. Phair, C. Rinaldo, J.B. Margolick, G. Pantaleo, and A.S. Fauci* 1581

Disruption of the guanylyl cyclase-C gene leads to a paradoxical phenotype of viable but heat-stable enterotoxin-resistant mice. *S. Schulz, M.J. Lopez, M. Kuhn, and D.L. Garbers* 1590

Glucose activates the carboxyl methylation of γ subunits of trimeric GTP-binding proteins in pancreatic β cells. Modulation in vivo by calcium, GTP, and pertussis toxin. *A. Kowluru, G. Li, and S.A. Metz* 1596

The syndecan family of proteoglycans. Novel receptors mediating internalization of atherogenic lipoproteins in vitro. *I.V. Fuki, K.M. Kuhn, I.R. Lomazov, V.L. Rothman, G.P. Tuszynski, R.V. Iozzo, T.L. Swenson, E.A. Fisher, and K.J. Williams* 1611

Novel autocrine feedback control of catecholamine release. A discrete chromogranin A fragment is a noncompetitive nicotinic cholinergic antagonist. *S.K. Mahata, D.T. O'Connor, M. Mahata, S.H. Yoo, L. Taupenot, H. Wu, B.M. Gill, and R.J. Parmer* 1623

Congenital hyperthyroidism caused by a solitary toxic adenoma harboring a novel somatic mutation (Serine281→Isoleucine) in the extracellular domain of the thyrotropin receptor. *P. Kopp, S. Muirhead, N. Jourdain, W.-X. Gu, J.L. Jameson, and C. Rodd* 1634

Chloroquine induces human mononuclear phagocytes to inhibit and kill *Cryptococcus neoformans* by a mechanism independent of iron deprivation. *S.M. Levitz, T.S. Harrison, A. Tabuni, and X. Liu* 1640

RGDN peptide interaction with endothelial $\alpha_5\beta_1$ integrin causes sustained endothelin-dependent vasoconstriction of rat skeletal muscle arterioles. *J.E. Mogford, G.E. Davis, and G.A. Meininger* 1647

Author Index 1655

Contents

The Journal of Clinical Investigation
October 1, 1997, Volume 100, Number 7

Regular Articles

Chemokine-induced eosinophil recruitment. Evidence of a role for endogenous eotaxin in an in vivo allergy model in mouse skin. *M.M. Teixeira, T.N.C. Wells, N.W. Lukacs, A.E.I. Proudfoot, S.L. Kunkel, T.J. Williams, and P.G. Hellewell* 1657

Molecular single-cell analysis reveals that CD5-positive peripheral blood B cells in healthy humans are characterized by rearranged V_κ genes lacking somatic mutation. *M. Fischer, U. Klein, and R. Küppers*..... 1667

Theophylline accelerates human granulocyte apoptosis not via phosphodiesterase inhibition. *K. Yasui, B. Hu, T. Nakazawa, K. Agematsu, and A. Komiyama* 1677

Glucose-specific regulation of aldose reductase in Capan-1 human pancreatic duct cells in vitro. *J.V. Busik, S.R. Hootman, C.A. Greenidge, and D.N. Henry*..... 1685

Familial distal renal tubular acidosis is associated with mutations in the red cell anion exchanger (band 3, *AE1*) gene. *L.J. Bruce, D.L. Cope, G.K. Jones, A.E. Schofield, M. Burley, S. Povey, R.J. Unwin, O. Wrong, and M.J.A. Tanner* 1693

A chimeric receptor/oncogene that can be regulated by a ligand in vitro and in vivo. *K. Okuda, A. D'Andrea, R.A. Van Etten, and J.D. Griffin* 1708

1,25-dihydroxyvitamin D_3 and its analogues inhibit acute myelogenous leukemia progenitor proliferation by suppressing interleukin-1β production. *S. Peleg, H. Qiu, S. Reddy, D. Harris, Q. Van, E.H. Estey, M. Talpaz, and Z. Estrov* 1716

Leukocyte adhesion deficiency type 1 (LAD-1)/variant. A novel immunodeficiency syndrome characterized by dysfunctional β_2 integrins. *T.W. Kuijpers, R.A.W. van Lier, D. Hamann, M. de Boer, L.Y. Thung, R.S. Weening, A.J. Verhoeven, and D. Roos*..... 1725

Toxins A and B from *Clostridium difficile* differ with respect to enzymatic potencies, cellular substrate specificities, and surface binding to cultured cells. *E. Chaves-Olarte, M. Weidmann, C. von Eichel-Streiber, and M. Thelestam* 1734

Thyroid hormone improves function and Ca^{2+} handling in pressure overload hypertrophy. Association with increased sarcoplasmic reticulum Ca^{2+}-ATPase and α-myosin heavy chain in rat hearts. *K.C. Chang, V.M. Figueredo, J.H.M. Schreur, K.-i. Kariya, M.W. Weiner, P.C. Simpson, and S.A. Camacho* 1742

Leptin- or troglitazone-induced lipopenia protects islets from interleukin 1β cytotoxicity. *M. Shimabukuro, K. Koyama, Y. Lee, and R.H. Unger*..... 1750

Sex steroids and bone mass in older men. Positive associations with serum estrogens and negative associations with androgens. *C.W. Slemenda, C. Longcope, L. Zhou, S.L. Hui, M. Peacock, and C.C. Johnston* 1755

Nitric oxide inhibition of Coxsackievirus replication in vitro. *C. Zaragoza, C.J. Ocampo, M. Saura, A. McMillan, and C.J. Lowenstein*..... 1760

Gluconeogenesis, glucose handling, and structural changes in livers of the adult offspring of rats partially deprived of protein during pregnancy and lactation. *S.P. Burns, M. Desai, R.D. Cohen, C.N. Hales, R.A. Iles, J.P. Germain, T.C.H. Going, and R.A. Bailey*..... 1768

Glucose turnover and gluconeogenesis in human pregnancy. *S. Kalhan, K. Rossi, L. Gruca, E. Burkett, and A. O'Brien*..... 1775

Mechanism of hypoxic K loss in rabbit ventricle. *K. Shivkumar, N.A. Deutsch, S.T. Lamp, K. Khuu, J.I. Goldhaber, and J.N. Weiss* 1782

Outside–in signaling in the chondrocyte. Nitric oxide disrupts fibronectin-induced assembly of a subplasmalemmal actin/rho A/focal adhesion kinase signaling complex. *R.M. Clancy, J. Rediske, X. Tang, N. Nijher, S. Frenkel, M. Philips, and S.B. Abramson*..... 1789

Interleukin 6 is autoregulated by transcriptional mechanisms in cultures of rat osteoblastic cells. *N. Franchimont, S. Rydziel, and E. Canalis*..... 1797

Drug targeting of a peptide radiopharmaceutical through the primate blood–brain barrier in vivo with a monoclonal antibody to the human insulin receptor. *D. Wu, J. Yang, and W.M. Pardridge* 1804

Oxidative stress activates extracellular signal–regulated kinases through Src and Ras in cultured cardiac myocytes of neonatal rats. *R. Aikawa, I. Komuro, T. Yamazaki, Y. Zou, S. Kudoh, M. Tanaka, I. Shiojima, Y. Hiroi, and Y. Yazaki*..... 1813

Nitric oxide mediates murine cytomegalovirus–associated pneumonitis in lungs that are free of the virus. *K. Tanaka, H. Nakazawa, K. Okada, K. Umezawa, N. Fukuyama, and Y. Koga* 1822

Peripheral but not hepatic insulin resistance in mice with one disrupted allele of the glucose transporter type 4 (GLUT4) gene. *L. Rossetti, A.E. Stenbit, W. Chen, M. Hu, N. Barzilai, E.B. Katz, and M.J. Charron* 1831

Suppression of transcription factor PDX-1/IPF1/STF-1/IDX-1 causes no decrease in insulin mRNA in MIN6 cells. *Y. Kajimoto, H. Watada, T.-a. Matsuoka, H. Kaneto, Y. Fujitani, J.-i. Miyazaki, and Y. Yamasaki*..... 1840

Oral magnesium supplements reduce erythrocyte dehydration in patients with sickle cell disease. *L. De Franceschi, D. Bachir, F. Galacteros, G. Tchernia, T. Cynober, S. Alper, O. Platt, Y. Beuzard, and C. Brugnara* 1847

Pancreatic acinar cells produce, release, and respond to tumor necrosis factor-α. Role in regulating cell death and pancreatitis. *A.S. Gukovskaya, I. Gukovsky, V. Zaninovic, M. Song, D. Sandoval, S. Gukovsky, and S.J. Pandol*..... 1853

Thiazolidinediones block tumor necrosis factor-α-induced inhibition of insulin signaling. *P. Peraldi, M. Xu, and B.M. Spiegelman*..... 1863

Integrins ($\alpha7\beta1$) in muscle function and survival. Disrupted expression in merosin-deficient congenital muscular dystrophy. *P.H. Vachon, H. Xu, L. Liu, F. Loechel, Y. Hayashi, K. Arahata, J.C. Reed, U.M. Wewer, and E. Engvall*..... 1870

Entrainment of the diurnal rhythm of plasma leptin to meal timing. *D.A. Schoeller, L.K. Cella, M.K. Sinha, and J.F. Caro* 1882

Therapy for persistent hyperinsulinemic hypoglycemia of infancy. Understanding the responsiveness of β cells to diazoxide and somatostatin. *C. Kane, K.J. Lindley, P.R.V. Johnson, R.F.L. James, P.J. Milla, A. Aynsley-Green, and M.J. Dunne* 1888

Evidence that calcineurin is rate-limiting for primary human lymphocyte activation. *T.D. Batiuk, L. Kung, and P.F. Halloran* 1894

Author Index..... 1903

Contents

The Journal of Clinical Investigation
October 15, 1997, Volume 100, Number 8

Editorials

SREBPs, membrane lipid biosynthesis, and fatty acids. *T.Y. Chang* 1905

Regular Articles

A p47-*phox* pseudogene carries the most common mutation causing p47-*phox*–deficient chronic granulomatous disease. *A. Görlach, P.L. Lee, J. Roesler, P.J. Hopkins, B. Christensen, E.D. Green, S.J. Chanock, and J.T. Curnutte* 1907

Myocardial insulin resistance in patients with syndrome X. *H.E. Bøtker, N. Møller, O. Schmitz, J.P. Bagger, and T.T. Nielsen* 1919

Prostaglandins I_2 and E_2 have a synergistic role in rescuing epithelial barrier function in porcine ileum. *A.T. Blikslager, M.C. Roberts, J.M. Rhoads, and R.A. Argenzio* 1928

Genetic identification of two major modifier loci of polycystic kidney disease progression in *pcy* mice. *D.D.L. Woo, D.K.P. Nguyen, N. Khatibi, and P. Olsen* 1934

Hypercalcemia stimulates expression of intrarenal phospholipase A_2 and prostaglandin H synthase-2 in rats. Role of angiotensin II AT_1 receptors. *H. Mangat, L.N. Peterson, and K.D. Burns* 1941

Amelioration of collagen-induced arthritis by CD95 (Apo-1/Fas)-ligand gene transfer. *H. Zhang, Y. Yang, J.L. Horton, E.B. Samoilova, T.A. Judge, L.A. Turka, J.M. Wilson, and Y. Chen* 1951

Cardiac compartment–specific overexpression of a modified retinoic acid receptor produces dilated cardiomyopathy and congestive heart failure in transgenic mice. *M.C. Colbert, D.G. Hall, T.R. Kimball, S.A. Witt, J.N. Lorenz, M.L. Kirby, T.E. Hewett, R. Klevitsky, and J. Robbins* 1958

Upregulation of tumor necrosis factor-α gene by Epstein-Barr virus and activation of macrophages in Epstein-Barr virus–infected T cells in the pathogenesis of hemophagocytic syndrome. *J.-D. Lay, C.-J. Tsao, J.-Y. Chen, M.E. Kadin, and I.-J. Su* 1969

Regulation of the gp80 and gp130 subunits of the IL-6 receptor by sex steroids in the murine bone marrow. *S.-C. Lin, T. Yamate, Y. Taguchi, V.Z.C. Borba, G. Girasole, C.A. O'Brien, T. Bellido, E. Abe, and S.C. Manolagas* 1980

Overexpression of insulin-like growth factor-1 in mice protects from myocyte death after infarction, attenuating ventricular dilation, wall stress, and cardiac hypertrophy. *Q. Li, B. Li, X. Wang, A. Leri, K.P. Jana, Y. Liu, J. Kajstura, R. Baserga, and P. Anversa* 1991

A pharmacogenetic approach to blood pressure in Lyon hypertensive rats. A chromosome 2 locus influences the response to a calcium antagonist. *M. Vincent, N.J. Samani, D. Gauguier, J.R. Thompson, G.M. Lathrop, and J. Sassard* 2000

Insulin modulation of an endothelial nitric oxide component present in the α_2- and β-adrenergic responses in human forearm. *G. Lembo, G. Iaccarino, C. Vecchione, E. Barbato, R. Izzo, D. Fontana, and B. Trimarco* 2007

A non-MHC locus essential for autoimmune type I diabetes in the Komeda Diabetes-Prone rat. *N. Yokoi, M. Kanazawa, K. Kitada, A. Tanaka, Y. Kanazawa, S. Suda, H. Ito, T. Serikawa, and K. Komeda* 2015

Targeted disruption of the β-chemokine receptor CCR1 protects against pancreatitis-associated lung injury. *C. Gerard, J.-L. Frossard, M. Bhatia, A. Saluja, N.P. Gerard, B. Lu, and M. Steer* 2022

Localization of distinct F_2-isoprostanes in human atherosclerotic lesions. *D. Praticò, L. Iuliano, A. Mauriello, L. Spagnoli, J.A. Lawson, J. Rokach, J. Maclouf, F. Violi, and G.A. FitzGerald* 2028

Inducible nitric oxide synthase suppresses the development of allograft arteriosclerosis. *L.L. Shears II, N. Kawaharada, E. Tzeng, T.R. Billiar, S.C. Watkins, I. Kovesdi, A. Lizonova, and S.M. Pham* 2035

Productive infection of dendritic cells by HIV-1 and their ability to capture virus are mediated through separate pathways. *A. Blauvelt, H. Asada, M.W. Saville, V. Klaus-Kovtun, D.J. Altman, R. Yarchoan, and S.I. Katz* 2043

Pertussis toxin–sensitive G proteins as mediators of the signal transduction pathways activated by cytomegalovirus infection of smooth muscle cells. *T. Shibutani, T.M. Johnson, Z.-X. Yu, V.J. Ferrans, J. Moss, and S.E. Epstein* 2054

Defective expression of gp180, a novel CD8 ligand on intestinal epithelial cells, in inflammatory bowel disease. *L.S. Toy, X.Y. Yio, A. Lin, S. Honig, and L. Mayer* 2062

Inhibition of tumor angiogenesis using a soluble receptor establishes a role for Tie2 in pathologic vascular growth. *P. Lin, P. Polverini, M. Dewhirst, S. Shan, P.S. Rao, and K. Peters* 2072

A synthetic peptide derived from the sequence of a type I collagen receptor inhibits type I collagen-mediated platelet aggregation. *T.M. Chiang and A.H. Kang* 2079

Neutrophil accumulation on activated, surface-adherent platelets in flow is mediated by interaction of Mac-1 with fibrinogen bound to αIIbβ3 and stimulated by platelet-activating factor. *C. Weber and T.A. Springer* 2085

Pancreatic β cells are important targets for the diabetogenic effects of glucocorticoids. *F. Delaunay, A. Khan, A. Cintra, B. Davani, Z.-C. Ling, A. Andersson, C.-G. Östenson, J.-Å. Gustafsson, S. Efendic, and S. Okret* 2094

Host defense against systemic infection with *Streptococcus pneumoniae* is impaired in E-, P-, and E-/P-selectin–deficient mice. *F.M. Munoz, E.P. Hawkins, D.C. Bullard, A.L. Beaudet, and S.L. Kaplan* 2099

Cellular mechanisms mediating rat renal microvascular constriction by angiotensin II. *T. Takenaka, H. Suzuki, K. Fujiwara, Y. Kanno, Y. Ohno, K. Hayashi, T. Nagahama, and T. Saruta* 2107

Elevated levels of SREBP-2 and cholesterol synthesis in livers of mice homozygous for a targeted disruption of the SREBP-1 gene. *H. Shimano, I. Shimomura, R.E. Hammer, J. Herz, J.L. Goldstein, M.S. Brown, and J.D. Horton* 2115

Responsiveness of muscle protein synthesis to growth hormone administration in HIV-infected individuals declines with severity of disease. *M.A. McNurlan, P.J. Garlick, R.T. Steigbigel, K.A. DeCristofaro, R.A. Frost, C.H. Lang, R.W. Johnson, A.M. Santasier, C.J. Cabahug, J. Fuhrer, and M.C. Gelato* 2125

Widely dispersed *p53* mutation in respiratory epithelium. A novel mechanism for field carcinogenesis. *W.A. Franklin, A.F. Gazdar, J. Haney, I.I. Wistuba, F.G. La Rosa, T. Kennedy, D.M. Ritchey, and Y.E. Miller* 2133

Author Index 2139

Correction 2141

Contents

The Journal of Clinical Investigation
November 1, 1997, Volume 100, Number 9

Editorial

Atherosclerosis, just another cancer? *S.D. Markowitz* 2143

Perspectives

Nitric oxide synthases: Which, where, how, and why? *T. Michel (Series Editor) and O. Feron* 2146

Cellular and molecular mechanisms of endothelial cell dysfunction. *D.G. Harrison* 2153

Regular Articles

Angiotensin II inhibits insulin signaling in aortic smooth muscle cells at multiple levels. A potential role for serine phosphorylation in insulin/angiotensin II crosstalk. *F. Folli, C.R. Kahn, H. Hansen, J.L. Bouchie, and E.P. Feener* 2158

The atherogenic lipoprotein Lp(a) is internalized and degraded in a process mediated by the VLDL receptor. *K.M. Argraves, K.F. Kozarsky, J.T. Fallon, P.C. Harpel, and D.K. Strickland* 2170

Genomic instability in the Type II TGF-β1 receptor gene in atherosclerotic and restenotic vascular cells. *T.A. McCaffrey, B. Du, S. Consigli, P. Szabo, P.J. Bray, L. Hartner, B.B. Weksler, T.A. Sanborn, G. Bergman, and H.L. Bush, Jr.* 2182

Expression of protein kinase C β in the heart causes hypertrophy in adult mice and sudden death in neonates. *J.C. Bowman, S.F. Steinberg, T. Jiang, D.L. Geenen, G.I. Fishman, and P.M. Buttrick* 2189

Abnormal sulfate metabolism in vitamin D–deficient rats. *I. Fernandes, G. Hampson, X. Cahours, P. Morin, C. Coureau, S. Couette, D. Prie, J. Biber, H. Murer, G. Friedlander, and C. Silve* 2196

Disruption of the splicing enhancer sequence within exon 27 of the dystrophin gene by a nonsense mutation induces partial skipping of the exon and is responsible for Becker muscular dystrophy. *N. Shiga, Y. Takeshima, H. Sakamoto, K. Inoue, Y. Yokota, M. Yokoyama, and M. Matsuo* 2204

Human pulmonary alveolar proteinosis associated with a defect in GM-CSF/IL-3/IL-5 receptor common β chain expression. *U. Dirksen, R. Nishinakamura, P. Groneck, U. Hattenhorst, L. Nogee, R. Murray, and S. Burdach* 2211

Phase I trial of recombinant adenovirus gene transfer in lung cancer. Longitudinal study of the immune responses to transgene and viral products. *H. Gahéry-Ségard, V. Molinier-Frenkel, C. Le Boulaire, P. Saulnier, P. Opolon, R. Lengagne, E. Gautier, A. Le Cesne, L. Zitvogel, A. Venet, C. Schatz, M. Courtney, T. Le Chevalier, T. Tursz, J.-G. Guillet, and F. Farace* 2218

HLA-DQB1 polymorphism determines incidence, onset, and severity of collagen-induced arthritis in transgenic mice. Implications in human rheumatoid arthritis. *D.S. Bradley, G.H. Nabozny, S. Cheng, P. Zhou, M.M. Griffiths, H.S. Luthra, and C.S. David* 2227

Macula densa arginine delivery and uptake in the rat regulates glomerular capillary pressure. Effects of salt intake. *W.J. Welch and C.S. Wilcox* 2235

Neonatal activation of CD28 signaling overcomes T cell anergy and prevents autoimmune diabetes by an IL-4–dependent mechanism. *G.A. Arreaza, M.J. Cameron, A. Jaramillo, B.M. Gill, D. Hardy, K.B. Laupland, M.J. Rapoport, P. Zucker, S. Chakrabarti, S.W. Chensue, H.-Y. Qin, B. Singh, and T.L. Delovitch* 2243

Pretreatment with antibody to eosinophil major basic protein prevents hyperresponsiveness by protecting neuronal M_2 muscarinic receptors in antigen-challenged guinea pigs. *C.M. Evans, A.D. Fryer, D.B. Jacoby, G.J. Gleich, and R.W. Costello* 2254

Susceptibility to anti–glomerular basement membrane disease and Goodpasture syndrome is linked to MHC class II genes and the emergence of T cell–mediated immunity in mice. *R. Kalluri, T.M. Danoff, H. Okada, and E.G. Neilson* 2263

Tissue factor expression in human arterial smooth muscle cells. TF is present in three cellular pools after growth factor stimulation. *A.D. Schecter, P.L.A. Giesen, O. Taby, C.-L. Rosenfield, M. Rossikhina, B.S. Fyfe, D.S. Kohtz, J.T. Fallon, Y. Nemerson, and M.B. Taubman* 2276

Transgenic expression of the human amphiregulin gene induces a psoriasis-like phenotype. *P.W. Cook, M. Piepkorn, C.H. Clegg, G.D. Plowman, J.M. DeMay, J.R. Brown, and M.R. Pittelkow* 2286

Endogenous somatostatin-28 modulates postprandial insulin secretion. Immunoneutralization studies in baboons. *J.W. Ensinck, R.E. Vogel, E.C. Laschansky, D.J. Koerker, R.L. Prigeon, S.E. Kahn, and D.A. D'Alessio* 2295

Pathogenic antibodies inhibit the binding of apolipoproteins to megalin/gp330 in passive Heymann nephritis. *D. Kerjaschki, M. Exner, R. Ullrich, M. Susani, L.K. Curtiss, J.L. Witztum, M.G. Farquhar, and R.A. Orlando* 2303

Angiotensin II stimulates proliferation of normal early erythroid progenitors. *M. Mrug, T. Stopka, B.A. Julian, J.F. Prchal, and J.T. Prchal* 2310

Changes in gene expression in the intact human heart. Downregulation of α-myosin heavy chain in hypertrophied, failing ventricular myocardium. *B.D. Lowes, W. Minobe, W.T. Abraham, M.N. Rizeq, T.J. Bohlmeyer, R.A. Quaife, R.L. Roden, D.L. Dutcher, A.D. Robertson, N.F. Voelkel, D.B. Badesch, B.M. Groves, E.M. Gilbert, and M.R. Bristow* 2315

Selective inhibition of syncytium-inducing and nonsyncytium-inducing HIV-1 variants in individuals receiving didanosine or zidovudine, respectively. *A.B. van 't Wout, L.J. Ran, M.D. de Jong, M. Bakker, R. van Leeuwen, D.W. Notermans, A.E. Loeliger, F. de Wolf, S.A. Danner, P. Reiss, C.A.B. Boucher, J.M.A. Lange, and H. Schuitemaker* 2325

Binding of β-amyloid to the p75 neurotrophin receptor induces apoptosis. A possible mechanism for Alzheimer's disease. *M. Yaar, S. Zhai, P.F. Pilch, S.M. Doyle, P.B. Eisenhauer, R.E. Fine, and B.A. Gilchrest* 2333

Germ cell apoptosis after treatment of cryptorchidism with human chorionic gonadotropin is associated with impaired reproductive function in the adult. *L. Dunkel, S. Taskinen, O. Hovatta, J.L. Tilly, and S. Wikström* 2341

Hypoxia inhibits gene expression of voltage-gated K^+ channel α subunits in pulmonary artery smooth muscle cells. *J. Wang, M. Juhaszova, L.J. Rubin, and X.-J. Yuan* 2347

Evidence for decreased splanchnic glucose uptake after oral glucose administration in non–insulin-dependent diabetes mellitus. *B. Ludvik, J.J. Nolan, A. Roberts, J. Baloga, M. Joyce, J.M. Bell, and J.M. Olefsky*.....2354

Myosin heavy chain gene expression in human heart failure. *K. Nakao, W. Minobe, R. Roden, M.R. Bristow, and L.A. Leinwand*.....2362

DNA immunization of neonates induces immunity despite the presence of maternal antibody. *E. Manickan, Z. Yu, and B.T. Rouse*.....2371

Immunological significance of cytotoxic T lymphocyte epitope variants in patients chronically infected by the hepatitis C virus. *K.-M. Chang, B. Rehermann, J.G. McHutchison, C. Pasquinelli, S. Southwood, A. Sette, and F.V. Chisari*.....2376

Somatostatin receptor (SSTR) subtype-selective analogues differentially suppress in vitro growth hormone and prolactin in human pituitary adenomas. Novel potential therapy for functional pituitary tumors. *I. Shimon, X. Yan, J.E. Taylor, M.H. Weiss, M.D. Culler, and S. Melmed*.....2386

Truncation of the cytoplasmic domain of β_3 in a variant form of Glanzmann thrombasthenia abrogates signaling through the integrin $\alpha_{IIb}\beta_3$ complex. *R. Wang, S.J. Shattil, D.R. Ambruso, and P.J. Newman*.....2393

Functional CD40 ligand is expressed by T cells in rheumatoid arthritis. *K.P.A. MacDonald, Y. Nishioka, P.E. Lipsky, and R. Thomas*.....2404

Author Index.....2415

Contents

The Journal of Clinical Investigation
November 15, 1997, Volume 100, Number 10

Perspectives

Inducible nitric oxide synthase: What difference does it make?
C. Nathan 2417

Nitric oxide in excitable tissues: Physiological roles and disease.
K.S. Christopherson and D.S. Bredt 2424

Regular Articles

Full blockade of intestinal P-glycoprotein and extensive inhibition of blood–brain barrier P-glycoprotein by oral treatment of mice with PSC833. *U. Mayer, E. Wagenaar, B. Dorobek, J.H. Beijnen, P. Borst, and A.H. Schinkel* 2430

Vasopressin potentiates mineralocorticoid selectivity by stimulating 11β hydroxysteroid deshydrogenase in rat collecting duct. *N. Alfaidy, M. Blot-Chabaud, J.-P. Bonvalet, and N. Farman* 2437

In vivo suppression of NF-κB and preservation of IκBα by interleukin-10 and interleukin-13. *A.B. Lentsch, T.P. Shanley, V. Sarma, and P.A. Ward* 2443

Heart transplants in interferon-γ, interleukin 4, and interleukin 10 knockout mice. Recipient environment alters graft rejection. *A. Räisänen-Sokolowski, P.L. Mottram, T. Glysing-Jensen, A. Satoskar, and M.E. Russell* 2449

In vitro pharmacologic restoration of CFTR-mediated chloride transport with sodium 4-phenylbutyrate in cystic fibrosis epithelial cells containing ΔF508-CFTR. *R.C. Rubenstein, M.E. Egan, and P.L. Zeitlin* 2457

Allergen-induced increases in IL-5 receptor α-subunit expression on bone marrow–derived $CD34^+$ cells from asthmatic subjects. A novel marker of progenitor cell commitment towards eosinophilic differentiation. *R. Sehmi, L.J. Wood, R. Watson, R. Foley, Q. Hamid, P.M. O'Byrne, and J.A. Denburg* 2466

Colony-stimulating factor-1 induces cytoskeletal reorganization and c-*src*-dependent tyrosine phosphorylation of selected cellular proteins in rodent osteoclasts. *K.L. Insogna, M. Sahni, A.B. Grey, S. Tanaka, W.C. Horne, L. Neff, M. Mitnick, J.B. Levy, and R. Baron* 2476

Spatiotemporal complexity of ventricular fibrillation revealed by tissue mass reduction in isolated swine right ventricle. Further evidence for the quasiperiodic route to chaos hypothesis. *Y.-H. Kim, A. Garfinkel, T. Ikeda, T.-J. Wu, C.A. Athill, J.N. Weiss, H.S. Karagueuzian, and P.-S. Chen* 2486

Regulated overexpression of interleukin 11 in the lung. Use to dissociate development-dependent and -independent phenotypes. *P. Ray, W. Tang, P. Wang, R. Homer, C. Kuhn III, R.A. Flavell, and J.A. Elias* 2501

Direct in vivo inhibition of the nuclear cell cycle cascade in experimental mesangial proliferative glomerulonephritis with Roscovitine, a novel cyclin-dependent kinase antagonist. *J.W. Pippin, Q. Qu, L. Meijer, and S.J. Shankland* 2512

Intercellular adhesion molecule-1 and CD36 synergize to mediate adherence of *Plasmodium falciparum*–infected erythrocytes to cultured human microvascular endothelial cells. *C.J. McCormick, A. Craig, D. Roberts, C.I. Newbold, and A.R. Berendt* 2521

Constitutive activation of the gastrin-releasing peptide receptor expressed by the nonmalignant human colon epithelial cell line NCM460. *H.A. Ferris, R.E. Carroll, M.M. Rasenick, R.V. Benya* 2530

Lupus-specific antibodies reveal an altered pattern of somatic mutation. *A.J. Manheimer-Lory, G. Zandman-Goddard, A. Davidson, C. Aranow, and B. Diamond* 2538

Pulsatile insulin release from pancreatic islets with nonoscillatory elevation of cytoplasmic Ca^{2+}. *J. Westerlund, E. Gylfe, and P. Bergsten* 2547

Impaired monocyte migration and reduced type 1 (Th1) cytokine responses in C-C chemokine receptor 2 knockout mice. *L. Boring, J. Gosling, S.W. Chensue, S.L. Kunkel, R.V. Farese, Jr., H.E. Broxmeyer, and I.F. Charo* 2552

Hepatic secretion of phospholipid vesicles in the mouse critically depends on mdr2 or MDR3 P-glycoprotein expression. Visualization by electron microscopy. *A.R. Crawford, A.J. Smith, V.C. Hatch, R.P.J. Oude Elferink, P. Borst, and J.M. Crawford* 2562

Mutant endoglin in hereditary hemorrhagic telangiectasia type 1 is transiently expressed intracellularly and is not a dominant negative. *N. Pece, S. Vera, U. Cymerman, R.I. White, Jr., J.L. Wrana, and M. Letarte* 2568

Smooth muscle cell expression of type I cyclic GMP–dependent protein kinase is suppressed by continuous exposure to nitrovasodilators, theophylline, cyclic GMP, and cyclic AMP. *G.A. Soff, T.L. Cornwell, D.L. Cundiff, S. Gately, and T.M. Lincoln* 2580

Ion composition of airway surface liquid of patients with cystic fibrosis as compared with normal and disease-control subjects. *M.R. Knowles, J.M. Robinson, R.E. Wood, C.A. Pue, W.M. Mentz, G.C. Wager, J.T. Gatzy, and R.C. Boucher* 2588

Protease-resistant form of insulin-like growth factor–binding protein 5 is an inhibitor of insulin-like growth factor-I actions on porcine smooth muscle cells in culture. *Y. Imai, W.H. Busby, Jr., C.E. Smith, J.B. Clarke, A.J. Garmong, G.D. Horwitz, C. Rees, and D.R. Clemmons* 2596

Identification of the gene encoding the major latency-associated nuclear antigen of the Kaposi's sarcoma-associated herpesvirus. *D.H. Kedes, M. Lagunoff, R. Renne, and D. Ganem* 2606

Calmodulin-stimulated cyclic nucleotide phosphodiesterase (PDE1C) is induced in human arterial smooth muscle cells of the synthetic, proliferative phenotype. *S.D. Rybalkin, K.E. Bornfeldt, W.K. Sonnenburg, I.G. Rybalkina, K.S. Kwak, K. Hanson, E.G. Krebs, and J.A. Beavo* 2611

Interleukin-10 promotes activation-induced cell death of SLE lymphocytes mediated by Fas ligand. *L. Georgescu, R.K. Vakkalanka, K.B. Elkon, and M.K. Crow* 2622

Author Index 2635

Correction 2637

Correction 2639

Contents

The Journal of Clinical Investigation
December 1, 1997, Volume 100, Number 11

Perspectives

Neural-immune interactions in health and disease. *E.M. Sternberg* (Series Editor) 2641

The role of interleukin 1 in acute neurodegeneration and stroke: Pathophysiological and therapeutic implications. *N. Rothwell, S. Allan, and S. Toulmond* 2648

Rapid Publications

Autosomal dominant hypophosphatemic rickets is linked to chromosome 12p13. *M.J. Econs, P.T. McEnery, F. Lennon, and M.C. Speer* 2653

Partial interferon-γ receptor 1 deficiency in a child with tuberculoid bacillus Calmette-Guérin infection and a sibling with clinical tuberculosis. *E. Jouanguy, S. Lamhamedi-Cherradi, F. Altare, M.-C. Fondanèche, D. Tuerlinckx, S. Blanche, J.-F. Emile, J.-L. Gaillard, R. Schreiber, M. Levin, A. Fischer, C. Hivroz, and J.-L. Casanova* 2658

Increased *uncoupling protein-2* and *-3* mRNA expression during fasting in obese and lean humans. *L. Millet, H. Vidal, F. Andreelli, D. Larrouy, J.-P. Riou, D. Ricquier, M. Laville, and D. Langin* 2665

Regular Articles

Lovastatin and phenylacetate inhibit the induction of nitric oxide synthase and cytokines in rat primary astrocytes, microglia, and macrophages. *K. Pahan, F.G. Sheikh, A.M.S. Namboodiri, and I. Singh* 2671

Fatty streak formation occurs in human fetal aortas and is greatly enhanced by maternal hypercholesterolemia. Intimal accumulation of low density lipoprotein and its oxidation precede monocyte recruitment into early atherosclerotic lesions. *C. Napoli, F.P. D'Armiento, F.P. Mancini, A. Postiglione, J.L. Witztum, G. Palumbo, and W. Palinski* 2680

Regression of basal cell carcinoma by intralesional interferon-alpha treatment is mediated by CD95 (Apo-1/Fas)–CD95 ligand–induced suicide. *S.A. Buechner, M. Wernli, T. Harr, S. Hahn, P. Itin, and P. Erb* 2691

Hepatic fibrosis, glomerulosclerosis, and a lipodystrophy-like syndrome in PEPCK-TGF-β1 transgenic mice. *D.E. Clouthier, S.A. Comerford, and R.E. Hammer* 2697

Rat cholangiocytes absorb bile acids at their apical domain via the ileal sodium-dependent bile acid transporter. *K.N. Lazaridis, L. Pham, P. Tietz, R.A. Marinelli, P.C. deGroen, S. Levine, P.A. Dawson, and N.F. LaRusso* 2714

Adenoviral delivery of E2F-1 directs cell cycle reentry and p53-independent apoptosis in postmitotic adult myocardium in vivo. *R. Agah, L.A. Kirshenbaum, M. Abdellatif, L.D. Truong, S. Chakraborty, L.H. Michael, and M.D. Schneider* 2722

Leptin rapidly suppresses insulin release from insulinoma cells, rat and human islets and, in vivo, in mice. *R.N. Kulkarni, Z.-L. Wang, R.-M. Wang, J.D. Hurley, D.M. Smith, M.A. Ghatei, D.J. Withers, J.V. Gardiner, C.J. Bailey, and S.R. Bloom* 2729

Effects of subcutaneous interleukin-2 therapy on CD4 subsets and in vitro cytokine production in HIV+ subjects. *P. De Paoli, S. Zanussi, C. Simonelli, M.T. Bortolin, M. D'Andrea, C. Crepaldi, R. Talamini, M. Comar, M. Giacca, and U. Tirelli* 2737

Activation of the prolactin receptor but not the growth hormone receptor is important for induction of mammary tumors in transgenic mice. *H. Wennbo, M. Gebre-Medhin, A. Gritli-Linde, C. Ohlsson, O.G.P. Isaksson, and J. Törnell* 2744

Retrograde inflammatory signaling from neutrophils to endothelial cells by soluble interleukin-6 receptor alpha. *V. Modur, Y. Li, G.A. Zimmerman, S.M. Prescott, and T.M. McIntyre* 2752

CD40-activated human B cells: An alternative source of highly efficient antigen presenting cells to generate autologous antigen-specific T cells for adoptive immunotherapy. *J.L. Schultze, S. Michalak, M.J. Seamon, G. Dranoff, K. Jung, J. Daley, J.C. Delgado, J.G. Gribben, and L.M. Nadler* 2757

Therapeutic effects of interleukin-4 gene transfer in experimental inflammatory bowel disease. *C.M. Hogaboam, B.A. Vallance, A. Kumar, C.L. Addison, F.L. Graham, J. Gauldie, and S.M. Collins* 2766

Tumor necrosis factor-α contributes to obesity-related hyperleptinemia by regulating leptin release from adipocytes. *T.G. Kirchgessner, K.T. Uysal, S.M. Wiesbrock, M.W. Marino, and G.S. Hotamisligil* 2777

Antibody and T cell responses of patients with adenocarcinoma immunized with mannan–MUC1 fusion protein. *V. Karanikas, L.-A. Hwang, J. Pearson, C.-S. Ong, V. Apostolopoulos, H. Vaughan, P.-X. Xing, G. Jamieson, G. Pietersz, B. Tait, R. Broadbent, G. Thynne, and I.F.C. McKenzie* 2783

Importance of endothelium-derived hyperpolarizing factor in human arteries. *L. Urakami-Harasawa, H. Shimokawa, M. Nakashima, K. Egashira, and A. Takeshita* 2793

Platelet-derived growth factor and fibroblast growth factor differentially regulate interleukin 1β– and cAMP-induced nitric oxide synthase expression in rat renal mesangial cells. *D. Kunz, G. Walker, W. Eberhardt, U.K. Messmer, A. Huwiler, and J. Pfeilschifter* 2800

Excessive inflammatory response of cystic fibrosis mice to bronchopulmonary infection with *Pseudomonas aeruginosa*. *A. van Heeckeren, R. Walenga, M.W. Konstan, T. Bonfield, P.B. Davis, and T. Ferkol* 2810

Possible role of P-450 metabolite of arachidonic acid in vasodilator mechanism of angiotensin II type 2 receptor in the isolated microperfused rabbit afferent arteriole. *S. Arima, Y. Endo, H. Yaoita, K. Omata, S. Ogawa, K. Tsunoda, M. Abe, K. Takeuchi, K. Abe, and S. Ito* 2816

Inhibition of rat vascular smooth muscle proliferation in vitro and in vivo by bone morphogenetic protein-2. *T. Nakaoka, K. Gonda, T. Ogita, Y. Otawara-Hamamoto, F. Okabe, Y. Kira, K. Harii, K. Miyazono, Y. Takuwa, and T. Fujita* 2824

Deficiency of phosphofructo-1-kinase/muscle subtype in humans impairs insulin secretion and causes insulin resistance. *M. Ristow, M. Vorgerd, M. Möhlig, H. Schatz, and A. Pfeiffer* 2833

Vitamin C crosses the blood–brain barrier in the oxidized form through the glucose transporters. *D.B. Agus, S.S. Gambhir, W.M. Pardridge, C. Spielholz, J. Baselga, J.C. Vera, and D.W. Golde* 2842

Inosine binds to A_3 adenosine receptors and stimulates mast cell degranulation. *X. Jin, R.K. Shepherd, B.R. Duling, and J. Linden* 2849

Direct effects of leptin on brown and white adipose tissue. *C.A. Siegrist-Kaiser, V. Pauli, C.E. Juge-Aubry, O. Boss, A. Pernin, W.W. Chin, I. Cusin, F. Rohner-Jeanrenaud, A.G. Burger, J. Zapf, and C.A. Meier* 2858

Pharmacologic control of a humanized gene therapy system implanted into nude mice. *S.R. Magari, V.M. Rivera, J.D. Iuliucci, M. Gilman, and F. Cerasoli, Jr.* 2865

MxA overexpression reveals a common genetic link in four Fanconi anemia complementation groups. *Y. Li and H. Youssoufian* 2873

Hypoxia increases human keratinocyte motility on connective tissue. *E.A. O'Toole, M.P. Marinkovich, C.L. Peavey, M.R. Amieva, H. Furthmayr, T.A. Mustoe, and D.T. Woodley* 2881

Regulation of exogenous and endogenous glucose metabolism by insulin and acetoacetate in the isolated working rat heart. A three tracer study of glycolysis, glycogen metabolism, and glucose oxidation. *R.R. Russell III, G.W. Cline, P.H. Guthrie, G.W. Goodwin, G.I. Shulman, and H. Taegtmeyer* 2892

Troglitazone action is independent of adipose tissue. *C.F. Burant, S. Sreenan, K.-i. Hirano, T.-A.C. Tai, J. Lohmiller, J. Lukens, N.O. Davidson, S. Ross, and R.A. Graves* 2900

Impaired flow-induced dilation in mesenteric resistance arteries from mice lacking vimentin. *D. Henrion, F. Terzi, K. Matrougui, M. Duriez, C.M. Boulanger, E. Colucci-Guyon, C. Babinet, P. Briand, G. Friedlander, P. Poitevin, and B.I. Lévy* 2909

Impaired secretion of very low density lipoprotein–triglycerides by apolipoprotein E–deficient mouse hepatocytes. *F. Kuipers, M.C. Jong, Y. Lin, M. van Eck, R. Havinga, V. Bloks, H.J. Verkade, M.H. Hofker, H. Moshage, T.J.C. van Berkel, R.J. Vonk, and L.M. Havekes* 2915

Liver sinusoidal endothelial cells are responsible for nitric oxide modulation of resistance in the hepatic sinusoids. *V. Shah, F.G. Haddad, G. Garcia-Cardena, J.A. Frangos, A. Mennone, R.J. Groszmann, and W.C. Sessa* 2923

Author Index 2931

Correction 2933

Contents

The Journal of Clinical Investigation

December 15, 1997, Volume 100, Number 12

Editorials

Clinically *Rel*evant findings. *T.D. Gilmore* 2935

An emerging paradigm shift on the role of leukocyte adhesion molecules. *H. Rabb and J.G. Martin* 2937

The Epstein-Barr virus and systemic lupus erythematosus. *J.H. Vaughan* 2939

Perspectives

Pathways and mechanisms for cytokine signaling of the central nervous system. *J. Licinio and M.-L. Wong* 2941

Cytokines in the brain during viral infection: Clues to HIV-associated dementia. *D.E. Griffin* 2948

Regular Articles

Aberrant nuclear factor-κB/Rel expression and the pathogenesis of breast cancer. *M.A. Sovak, R.E. Bellas, D.W. Kim, G.J. Zanieski, A.E. Rogers, A.M. Traish, and G.E. Sonenshein* 2952

Constitutive nuclear factor-κB–RelA activation is required for proliferation and survival of Hodgkin's disease tumor cells. *R.C. Bargou, F. Emmerich, D. Krappmann, K. Bommert, M.Y. Mapara, W. Arnold, H.D. Royer, E. Grinstein, A. Greiner, C. Scheidereit, and B. Dörken* 2961

Preferential localization of systemically administered radiolabeled interleukin 1α in experimental inflammation in mice by binding to the type II receptor. *C.J. van der Laken, O.C. Boerman, W.J.G. Oyen, M.T.P. van de Ven, R. Chizzonite, F.H.M. Corstens, and J.W.M. van der Meer* 2970

The calcimimetic compound NPS R-568 suppresses parathyroid cell proliferation in rats with renal insufficiency. Control of parathyroid cell growth via a calcium receptor. *M. Wada, Y. Furuya, J.-i. Sakiyama, N. Kobayashi, S. Miyata, H. Ishii, and N. Nagano* 2977

Role of nitric oxide in experimental obliterative bronchiolitis (chronic rejection) in the rat. *E.A. Kallio, P.K. Koskinen, E. Aavik, K. Vaali, and K.B. Lemström* 2984

Immunohistochemical colocalization of glycoxidation products and lipid peroxidation products in diabetic renal glomerular lesions. Implication for glycoxidative stress in the pathogenesis of diabetic nephropathy. *K. Horie, T. Miyata, K. Maeda, S. Miyata, S. Sugiyama, H. Sakai, C. van Ypersele de Strihou, V.M. Monnier, J.L. Witztum, and K. Kurokawa* 2995

Human beta-2 adrenoceptor gene polymorphisms are highly frequent in obesity and associate with altered adipocyte beta-2 adrenoceptor function. *V. Large, L. Hellström, S. Reynisdottir, F. Lönnqvist, P. Eriksson, L. Lannfelt, and P. Arner* 3005

Immunization against the agent of human granulocytic ehrlichiosis in a murine model. *W. Sun, J.W. Ijdo, S.R. Telford III, E. Hodzic, Y. Zhang, S.W. Barthold, and E. Fikrig* 3014

An increased prevalence of Epstein-Barr virus infection in young patients suggests a possible etiology for systemic lupus erythematosus. *J.A. James, K.M. Kaufman, A.D. Farris, E. Taylor-Albert, T.J.A. Lehman, and J.B. Harley* 3019

Prevention of experimental myasthenia gravis by nasal administration of synthetic acetylcholine receptor T epitope sequences. *P.I. Karachunski, N.S. Ostlie, D.K. Okita, and B.M. Conti-Fine* 3027

An interleukin-2 receptor γ chain mutation with normal thymus morphology. *N. Sharfe, M. Shahar, and C.M. Roifman* 3036

Overexpression of Rab3D enhances regulated amylase secretion from pancreatic acini of transgenic mice. *H. Ohnishi, L.C. Samuelson, D.I. Yule, S.A. Ernst, and J.A. Williams* 3044

Myocardial ischemia induces differential regulation of K_{ATP} channel gene expression in rat hearts. *M. Akao, H. Otani, M. Horie, M. Takano, A. Kuniyasu, H. Nakayama, I. Kouchi, S. Sasayama, and T. Murakami* 3053

Lung disease in mice with cystic fibrosis. *G. Kent, R. Iles, C.E. Bear, L.-J. Huan, U. Griesenbach, C. McKerlie, H. Frndova, C. Ackerley, D. Gosselin, D. Radzioch, H. O'Brodovich, L.-C. Tsui, M. Buchwald, and A.K. Tanswell* 3060

Microtubule-associated protein 1 light chain 3 is a fibronectin mRNA–binding protein linked to mRNA translation in lamb vascular smooth muscle cells. *B. Zhou, N. Boudreau, C. Coulber, J. Hammarback, and M. Rabinovitch* 3070

Blockade of CD49d (α_4 integrin) on intrapulmonary but not circulating leukocytes inhibits airway inflammation and hyperresponsiveness in a mouse model of asthma. *W.R. Henderson, Jr., E.Y. Chi, R.K. Albert, S.-J. Chu, W.J.E. Lamm, Y. Rochon, M. Jonas, P.E. Christie, and J.M. Harlan* 3083

Characterization of the AD7C-NTP cDNA expression in Alzheimer's disease and measurement of a 41-kD protein in cerebrospinal fluid. *S.M. de la Monte, K. Ghanbari, W.H. Frey, I. Beheshti, P. Averback, S.L. Hauser, H.A. Ghanbari, and J.R. Wands* 3093

Leptin selectively decreases visceral adiposity and enhances insulin action. *N. Barzilai, J. Wang, D. Massilon, P. Vuguin, M. Hawkins, and L. Rossetti* 3105

The antifungal antibiotic, clotrimazole, inhibits chloride secretion by human intestinal T84 cells via blockade of distinct basolateral K^+ conductances. Demonstration of efficacy in intact rabbit colon and in an in vivo mouse model of cholera. *P.A. Rufo, D. Merlin, M. Riegler, M.H. Ferguson-Maltzman, B.L. Dickinson, C. Brugnara, S.L. Alper, and W.I. Lencer* 3111

Indirect effect of insulin to suppress endogenous glucose production is dominant, even with hyperglucagonemia. *S.D. Mittelman, Y.-Y. Fu, K. Rebrin, G. Steil, and R.N. Bergman* 3121

Nitric oxide production contributes to the angiogenic properties of vascular endothelial growth factor in human endothelial cells. *A. Papapetropoulos, G. García-Cardeña, J.A. Madri, and W.C. Sessa* 3131

B lymphocytes from patients with chronic lymphocytic leukemia contain signal transducer and activator of transcription (STAT) 1 and STAT3 constitutively phosphorylated on serine residues. *D.A. Frank, S. Mahajan, and J. Ritz* 3140

Activators of peroxisome proliferator–activated receptor γ have depot-specific effects on human preadipocyte differentiation. *M. Adams, C.T. Montague, J.B. Prins, J.C. Holder, S.A. Smith, L. Sanders, J.E. Digby, C.P. Sewter, M.A. Lazar, V.K.K. Chatterjee, and S. O'Rahilly* 3149

Interferon-γ and tumor necrosis factor-α specifically induce formation of cytomegalovirus-permissive monocyte-derived macrophages that are refractory to the antiviral activity of these cytokines. *C. Söderberg-Naucl*ér*, K.N. Fish, and J.A. Nelson* 3154

Differential regulation of insulin receptor substrates-1 and -2 (IRS-1 and IRS-2) and phosphatidylinositol 3-kinase isoforms in liver and muscle of the obese diabetic (*ob/ob*) mouse. *N.J. Kerouz, D. Hörsch, S. Pons, and C.R. Kahn* 3164

Following the fate of individual T cells throughout activation and clonal expansion. Signals from T cell receptor and CD28 differentially regulate the induction and duration of a proliferative response. *A.D. Wells, H. Gudmundsdottir, and L.A. Turka* 3173

Association between genetic polymorphisms of the β_2-adrenoceptor and response to albuterol in children with and without a history of wheezing. *F. Martinez, P.E. Graves, M. Baldini, S. Solomon, and R. Erickson* 3184

Author Index 3189